

FlexiDraft™ Nordic

**BUILD YOUR BUSINESS
ON PERFECT BEER QUALITY**



**DEDICATED TO
DRAFT QUALITY**

WHAT IS FlexiDraft™

FlexiDraft™ is a revolutionary draft beer system for small and medium-sized outlets.

It's unique disposable One-Way Beer Line means:

- No line cleaning and no maintenance
- Extends the fresh life of beer in a broached keg from 6 to 30 days
- Ensures consistent (high) beer quality
- Reduced risk of down time
- Easy to operate

FACTS ABOUT FlexiDraft™

- Suitable for existing and new bar set-ups
- Designed for up to 60 hectoliters per year per tap
- Consistent beer quality for up to 30 days
- FlexiDraft™ can be found in more than 5.000 outlets in 40 countries
- 65 local, regional and global brands benefits daily from the advantages of FlexiDraft™



MEET THE FlexiDraft™ FAMILY

Thanks to the One-Way Beer Line and the short distance from tap to keg, the FlexiDraft™ system has practically no beer waste. This patented system also ensures the exact same quality in every beer even after 30 days. This prolongs shelf life by a factor five and ensures consistent customer experiences and improved profitability.

All FlexiDraft™ solutions are developed for small and medium-sized outlets with a sales volume of 2-3 kegs per week. The system can be used as a built-in solution and as a mobile counter with or without wheels.

FlexiDraft™ cooling system ensures fixed temperature and pressure all year round. FlexiDraft™ can also be delivered with a wide range of branding opportunities, so you can create compelling marketing messages for your product.



FlexiDraft™ Nordic

KEGCOOLERS

Can be used as a stand-alone unit with wheels and stainless steel top, or be mounted directly under an existing bar counter with adjustable feet.

KEGCOOLER 780



Inside measures	W: 430mm H: 800mm D: 510mm
Outer measures	W: 780mm H: 850mm (867-900 w. wheels) D: 600mm
Weight	76 kg
Refrigerant	R290
Coolant amount	90 gr
Run current	1,43A
Main supply	220-240V/50Hz
Power consumption	0,27kW

KEGCOOLER 1180



Inside measures	W: 830mm H: 800mm D: 510mm
Outer measures	W: 1180mm H: 850mm (867-900 w. wheels) D: 600mm
Weight	95 kg
Refrigerant	R290
Coolant amount	90 gr
Run current	1,43A
Main supply	220-240V/50Hz
Power consumption	0,27kW

KEGCOOLER 1600



Inside measures	W: 1250mm H: 800mm D: 510mm
Outer measures	W: 1600mm H: 850mm (867-900 w. wheels) D: 600mm
Weight	95 kg
Refrigerant	R290
Coolant amount	90 gr
Run current	1,43A
Main supply	220-240V/50Hz
Power consumption	0,27kW

KEGCOOLERS



KEGCOOLER 780



KEG CONFIGURATION



KEGCOOLER 1180




KEG CONFIGURATION



KEGCOOLER 1600



KEG CONFIGURATION



FlexiDraft™ Nordic

FONTS

The FlexiDraft™ font is a state-of-the-art font in modern and contemporary design. Available with variety of branding accessories the font allows you to create your own unique expression and draw the attention of the customer. The stainless steel finish is easy cleaned to ensure the quality appearance can be maintained.


FEATURES AND BENEFITS

- Wide range of branding options
- Long life lightning system
- Beer cooling python with water re-circulation

SPECIFICATIONS

Material	Stainless steel, zink, plastic
Finish	Polished chrome
Mounting	M60
Power supply	24V AC, 2 meter cable

MEASURES



FlexiDraft™ Nordic

FONTS RANGE

FlexiDraft™
WITH LED



FlexiDraft™
WITHOUT LED



FlexiDraft™
WITH ILLUMINATED TUBE BRANDING



FlexiDraft™
FROG MEDALLION



FlexiDraft™ Nordic

FLEXIBLE BRANDING OPTIONS

Complete your FlexiDraft™ system with a decorative handle and your logo. The FlexiDraft™ towers can be delivered with oval or round LED lens.



FONT TOP BRANDING



FROGEYE MEDALLION



OVAL MEDALLION



STANDARD

HANDLES



2-SIDED HANDLE




4-SIDED HANDLE




STANDARD

CUSTOMIZE YOUR SOLUTION

DISPENSE HEADS




A/G-SYSTEM




S-SYSTEM

ONE-WAY BEER LINES



A/G-SYSTEM



S-SYSTEM

REGULATOR



PREMIUM PLUS PR 1

WHEELS




WHEEL WITH BRAKE




WHEEL WITHOUT BRAKE


DRIPTRAYS



170X300




170X500




170X700

OTHER ACCESSORIES



STAINLESS STEEL TOP



RUBBER FOOT FOR DRIPTRAY

